

YAQOOB TANNERS

BUILT FOR WORK



A sister concern of Zain International

AN ISO 9001-2015 Certified Company



ABOUT US

YAQOOB TANNERS is the Flagship company of “Zain International” which deals in Domestic Market whereas Zain International deals in International market. YAQOOB TANNERS has a vast legacy of manufacturing and exporting of quality leather, leather shoe upper, lasted upper and Safety shoes with a brand name ZAIN which is ISI , CE certified. The production strength of having the world class manufacturing units with the latest technology. YAQOOB TANNERS believes in the philosophy of the Buyer's Pleasure to ensure the Domestic Customers can enjoy the Premium products of international class and choice at a affordable cost.

We are ISO 9001-2015 Certified company.

CONTACT US

CORRESPONDENCE ADDRESS

67/8, Pokharpur, K.D.A. Colony,
Jajmau, Kanpur-208010

FACTORY ADDRESS

112-F, Chabile purwa,
Jajmau, Kanpur

EMAIL

sales@zainintl.com
zain@zainintl.com
fahad@zainintl.com

PHONE

Mob. No :+91 9336120907
Mob. No :+91 9651004635
0091-512-2463427(Fax)
0091-512-2461789

WEBSITE

www.zainintl.com

FEATURES OF OUR PRODUCT



Impact Resistance: Steel Toe Cap with Protection Level



Shockproof (Max 15 KV)



Temp Resistance < 120° C



Chemical, Oil & Fuel Resistant Sole



Slip Resistant Sole



Chemical Resistant Upper



Energy Absorbing Heel

PU Premium Series

ZM-01 (LOW ANKLE SHOE)

UPPER-BUFF GRAIN BARTON LEATHER (DIE CROSS) 1.8-2.0mm

COLOR-BLACK

LINING-NYLON GREY CAMBRILL WITH 2MM FOAM LAMINATED

SOLE- PU SOLE DOUBLE DENSITY

TOE CAP-200 JOULES STEEL TOE

THREADS-NYLON 6 PLY & 3 PLY (GREY)

AVAILABLE SIZES-4 TO 12

CERTIFICATIONS-CE & ISI CERTIFIED SHOE

WEIGHT-1060 GMS / PAIRS (10 -20 gms up & downs)



ZM-08A (LOW ANKLE SHOE)

UPPER-BUFF APPOLO/ALABAMA PRINT LEATHER (DIE CROSS) 1.8-2.0mm

COLOR-BLACK

LINING-NYLON GREY CAMBRILL WITH 2MM FOAM LAMINATED

SOLE- PU SOLE SINGLE DENSITY

TOE CAP-200 JOULES STEEL TOE

THREADS-NYLON 6 PLY & 3 PLY (GREY)

AVAILABLE SIZES-4 TO 12

CERTIFICATIONS-CE & ISI CERTIFIED SHOE

WEIGHT-960 GMS / PAIRS (10 -20 gms up & downs)



PU Premium Series

ZM-01A (LOW ANKLE SHOE)

UPPER-BUFF APPOLO/ALABAMA PRINT LEATHER (DIE CROSS) 1.8-2.0mm

COLOR-BLACK

LINING-NYLON GREY CAMBRILL WITH 2MM FOAM LAMINATED

SOLE- PU SOLE SINGLE DENSITY

TOE CAP-200 JOULES STEEL TOE

THREADS-NYLON 6 PLY & 3 PLY (GREY)

AVAILABLE SIZES-4 TO 12

CERTIFICATIONS-CE & ISI CERTIFIED SHOE

WEIGHT-960 GMS / PAIRS (10 -20 gms up & downs)



TRETON (LOW ANKLE SHOE)

UPPER-BUFF GRAIN BARTON/C.G LEATHER (DIE CROSS) 1.8-2.0mm

COLOR-BLACK

LINING-NYLON GREY CAMBRILL WITH 2MM FOAM LAMINATED

SOLE- PU SOLE SINGLE DENSITY

TOE CAP-200 JOULES STEEL TOE

THREADS-NYLON 6 PLY & 3 PLY (GREY&BLACK)

AVAILABLE SIZES-4 TO 12

CERTIFICATIONS-CE & ISI CERTIFIED SHOE

WEIGHT-960 GMS / PAIRS (10 -20 gms up & downs)



PU Premium Series

ZM-05 (HIGH ANKLE SHOE)

UPPER-BUFF CALF OILPULLUP LEATHER 1.8-2.0mm

COLOR-REDDISH BROWN

LINING-COLLAR & TONGUE BUFF LEATHER LINING

LINING-AIR SPEACER LINING

SOLE- PU SOLE SINGLE DENSITY

TOE CAP-200 JOULES STEEL TOE

THREADS-NYLON 6 PLY & 3 PLY (BROWN)

AVAILABLE SIZES-6 TO 12

CERTIFICATIONS-CE & ISI CERTIFIED SHOE

WEIGHT-1060 GMS / PAIRS (10 -20 gms up & downs)



PU Sporty Series

ZM-03 (LOW ANKLE SHOE)

UPPER-BUFF SPLIT SUEAD LEATHER (DIE CROSS) 1.8-2.0mm

COLOR-BLACK

LINING-DRYLEX LINING WITH 2MM FOAM LAMINATED

SOLE- PU SOLE SINGLE/DOUBLE DENSITY

TOE CAP-200 JOULES STEEL & COMPOSITE TOE

THREADS-NYLON 6 PLY & 3 PLY

AVAILABLE SIZES-2 TO 12

CERTIFICATIONS-CE & ISI CERTIFIED SHOE

WEIGHT-1060 GMS / PAIRS (10 -20 gms up & downs)



ZM-03 (LOW ANKLE SHOE)

UPPER-BUFF SPLIT SUEAD LEATHER (DIE CROSS) 1.8-2.0mm

COLOR-CAMEL

LINING-DRYLEX LINING WITH 2MM FOAM LAMINATED

SOLE- PU SOLE SINGLE/DOUBLE DENSITY

TOE CAP-200 JOULES STEEL & COMPOSITE TOE

THREADS-NYLON 6 PLY & 3 PLY

AVAILABLE SIZES-2 TO 12

CERTIFICATIONS-CE & ISI CERTIFIED SHOE

WEIGHT-1060 GMS / PAIRS (10 -20 gms up & downs)



PU Sporty Series

TRETON (LOW ANKLE SHOE)

UPPER-BUFF SPLIT SUEAD & CG LEATHER (DIE CROSS) 1.8-2.0mm

COLOR-GREY

LINING-NYLON CAMBRILL WITH 2MM FOAM LAMINATED

SOLE- PU SOLE SINGLE/DOUBLE DENSITY

TOE CAP-200 JOULES STEEL & COMPOSITE TOE

THREADS-NYLON 6 PLY & 3 PLY

AVAILABLE SIZES-4 TO 12

CERTIFICATIONS-CE & ISI CERTIFIED SHOE

WEIGHT-1060 GMS / PAIRS (10 -20 gms up & downs)



TRETON (LOW ANKLE SHOE)

UPPER-BUFF SPLIT SUEAD & CG LEATHER (DIE CROSS) 1.8-2.0mm

COLOR-CAMEL

LINING-DRYLEX LINING WITH 2MM FOAM LAMINATED

SOLE- PU SOLE SINGLE/DOUBLE DENSITY

TOE CAP-200 JOULES STEEL & COMPOSIT TOE

THREADS-NYLON 6 PLY & 3 PLY

AVAILABLE SIZES-4 TO 12

CERTIFICATIONS-CE & ISI CERTIFIED SHOE

WEIGHT-1060 GMS / PAIRS (10 -20 gms up & downs)



PU Sporty Series

DEXTURE (LOW ANKLE SHOE)

UPPER-BUFF GRAIN CG LEATHER (DIE CROSS) 1.8-2.0mm

COLOR-BLACK

LINING-NYLON GRAY CAMBRILL LINING WITH 2MM FOAM LAMINATED

SOLE- PU SOLE SINGLE DENSITY

TOE CAP-200 JOULES STEEL TOE

THREADS-NYLON 6 PLY & 3 PLY

AVAILABLE SIZES-5 TO 12

CERTIFICATIONS-CE & ISI CERTIFIED SHOE

WEIGHT-1080 GMS / PAIRS (10 -20 gms up & downs)



ZM-03 (LOW ANKLE SHOE)

UPPER-BUFF SPLIT SUEAD LEATHER (DIE CROSS) 1.8-2.0mm

COLOR-GREY

LINING-DRYLEX LINING WITH 2MM FOAM LAMINATED

SOLE- PU SOLE DOUBLE DENSITY

TOE CAP-200 JOULES STEEL & COMPOSITE TOE

THREADS-NYLON 6 PLY & 3 PLY

AVAILABLE SIZES-2 TO 12

CERTIFICATIONS-CE & ISI CERTIFIED SHOE

WEIGHT-1060 GMS / PAIRS (10 -20 gms up & downs)



PU Ladies Series

ZM-06 (LADIES) WITHOUT LACE

UPPER-BUFF APPOLO/ALABAMA PRINT LEATHER (DIE CROSS) 1.8-2.0mm

COLOR-BLACK

LINING-NYLON CAMBRILL WITH 2MM FOAM LAMINATED

SOLE- PU SOLE SINGLE DENSITY

TOE CAP-200 JOULES STEEL TOE

THREADS-NYLON 6 PLY & 3 PLY

AVAILABLE SIZES-2 TO 12

CERTIFICATIONS-CE & ISI CERTIFIED SHOE

WEIGHT-960 GMS / PAIRS (10 -20 gms up & downs)



ZM-06 (LADIES) WITHOUT LACE

UPPER-IMPORTED MICROFIBRE 1.8-2.0mm

COLOR-WHITE

LINING-NYLON CAMBRILL WITH 2MM FOAM LAMINATED

SOLE- PU SOLE SINGLE DENSITY

TOE CAP-200 JOULES STEEL TOE

THREADS-NYLON 6 PLY & 3 PLY

AVAILABLE SIZES-2 TO 12

CERTIFICATIONS-CE & ISI CERTIFIED SHOE

WEIGHT-960 GMS / PAIRS (10 -20 gms up & downs)



PU Basic Series

ZM-16 (LOW ANKLE SHOE)

UPPER-BUFF SPLIT BARTON LEATHER (DIE CROSS) 1.8-2.0mm

COLOR-BLACK

LINING-NYLON GREY CAMBRILL WITH 2MM FOAM LAMINATED

SOLE- PU SOLE DOUBLE DENSITY

TOE CAP-200 JOULES STEEL TOE

THREADS-NYLON 6 PLY & 3 PLY

AVAILABLE SIZES-4 TO 12

CERTIFICATIONS-CE & ISI CERTIFIED SHOE

WEIGHT-1060 GMS / PAIRS (10 -20 gms up & downs)



ZM-02 (LOW ANKLE SHOE)

UPPER-BUFF SPLIT BARTON LEATHER (DIE CROSS) 1.8-2.0mm

COLOR-BLACK

LINING-NYLON BLACK CAMBRILL WITH 2MM FOAM LAMINATED

SOLE- PU SOLE SINGLE DENSITY

TOE CAP-200 JOULES STEEL TOE

THREADS-NYLON 6 PLY & 3 PLY (MUSTARD)

AVAILABLE SIZES-4 TO 12

CERTIFICATIONS-CE & ISI CERTIFIED SHOE

WEIGHT-960 GMS / PAIRS (10 -20 gms up & downs)



PU Basic Series

ZM-06 (LOW ANKLE SHOE)

UPPER-BUFF SPLIT BARTON LEATHER (DIE CROSS) 1.8-2.0mm

COLOR-BLACK

LINING-NYLON BLACK CAMBRILL WITH 2MM FOAM LAMINATED

SOLE- PU SOLE SINGLE DENSITY

TOE CAP-200 JOULES STEEL TOE

THREADS-NYLON 6 PLY & 3 PLY (BLACK)

AVAILABLE SIZES-4 TO 12

CERTIFICATIONS-CE & ISI CERTIFIED SHOE

WEIGHT-960 GMS / PAIRS (10 -20 gms up & downs)



ZM-444 (HIGH ANKLE SHOE)

UPPER-BUFF SPLIT BARTON LEATHER (DIE CROSS) 1.8-2.0mm

COLOR-BLACK

LINING-NYLON GREY CAMBRILL WITH 2MM FOAM LAMINATED

SOLE- PU SOLE SINGLE DENSITY

TOE CAP-200 JOULES STEEL TOE

THREADS-NYLON 6 PLY & 3 PLY (GREY)

AVAILABLE SIZES-4 TO 12

CERTIFICATIONS-CE & ISI CERTIFIED SHOE

WEIGHT-980 GMS / PAIRS (10 -20 gms up & downs)



PU Basic Series

ZM-08 (LOW ANKLE SHOE)

UPPER-BUFF SPLIT BARTON LEATHER (DIE CROSS) 1.8-2.0mm

COLOR-BLACK

LINING-NYLON GREY CAMBRILL WITH 2MM FOAM LAMINATED

SOLE- PU SOLE SINGLE DENSITY

TOE CAP-200 JOULES STEEL TOE

THREADS-NYLON 6 PLY & 3 PLY (GREY)

AVAILABLE SIZES-4 TO 12

CERTIFICATIONS-CE & ISI CERTIFIED SHOE

WEIGHT-960 GMS / PAIRS (10 -20 gms up & downs)



ZM-444 (HIGH ANKLE SHOE)

UPPER-BUFF SPLIT BARTON LEATHER (DIE CROSS) 1.8-2.0mm

COLOR-BLACK

LINING-NYLON GREY CAMBRILL WITH 2MM FOAM LAMINATED

SOLE- PU SOLE DOUBLE DENSITY

TOE CAP-200 JOULES STEEL TOE

THREADS-NYLON 6 PLY & 3 PLY (GREY)

AVAILABLE SIZES-4 TO 12

CERTIFICATIONS-CE & ISI CERTIFIED SHOE

WEIGHT-1060 GMS / PAIRS (10 -20 gms up & downs)



PVC Basic Series

PVC (LOW ANGLE)

UPPER-BUFF GRAIN BOOTY PRINT LEATHER (DIE CROSS) 1.4-1.6mm

COLOR-BLACK

LINING-SKINFIT LINING WITH 2MM FOAM LAMINATED

SOLE- PVC SOLE

TOE CAP-UNDER 100 JOULES STEEL TOE

THREADS-NYLON 3 PLY

AVAILABLE SIZES-6 TO 10

WEIGHT-1030 GMS / PAIRS (10 -20 gms up & downs)



Nitrile Series

NITRILE (HIGH ANGLE)

UPPER-BUFF GRAIN & SPLIT BARTON PRINT LEATHER (DIE CROSS) 1.6-1.8mm

COLOR-BLACK

LINING-NYLON CAMBRILL LINING WITH 2MM FOAM LAMINATED

SOLE- NITRILE RUBBER SOLE

TOE CAP-UNDER 150 JOULES STEEL TOE

THREADS-NYLON 6 PLY & 3 PLY

AVAILABLE SIZES-6 TO 10

WEIGHT-1000 GMS / PAIRS (10 -20 gms up & downs)

